

ADA094015

NOC

# **SURFACE CURRENTS.**

**SOUTHEAST CENTRAL SOUTH PACIFIC OCEAN**



**NOVEMBER 1977**

**APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.**

**NAVAL OCEANOGRAPHIC OFFICE  
NSTL STATION, MISSISSIPPI 39522**

**Best  
Available  
Copy**

## ABSTRACT

THIS ATLAS, AND THE SERIES OF WHICH IT IS A PART, IS COMPUTER GENERATED AND AUTOMATICALLY PLOTTED. IT MAKES AVAILABLE TO THE USER THE MOST RECENT SURFACE CURRENT DATA COLLECTED AND WILL BE UPDATED WHENEVER SUFFICIENT AMOUNTS OF DATA ARE ADDED TO THE DATA FILE. THIS AND THE OTHER ATLASES ARE BASED ON A VAST QUANTITY OF DATA AS COMPARED TO THE PREVIOUS MANUALLY-COMPILED EDITIONS PRINTED IN THE MID-THIRTIES.

THE SURFACE CURRENT INFORMATION IS BASED MAINLY ON SHIP DRIFT, WHICH IS THE DIFFERENCE BETWEEN THE DEAD RECKONING POSITION AND THE POSITION DETERMINED BY ANY TYPE OF NAVIGATIONAL FIX. THIS DIFFERENCE DESCRIBES THE DIRECTION AND SPEED OF THE CURRENT.

1-

#### ACKNOWLEDGMENTS

Messrs. Raymond J. Beauchesne\* and William E. Boisvert made major contributions to this atlas.


---

\*Mr. Beauchesne presently is employed by the Bureau of Naval Personnel.

## FOREWORD

THIS ATLAS, ONE IN A SERIES OF 43 REGIONAL SURFACE CURRENT ATLASES, IS PRODUCED TO FULFILL A NEED OF NAVY PLANNING STAFFS AND THE SCIENTIFIC AND INDUSTRIAL COMMUNITIES FOR THE LATEST AVAILABLE OCEAN SURFACE CURRENT DATA. THESE ATLASES ADD TO THE WEALTH OF NAUTICAL INFORMATION UPON WHICH OPERATIONAL PLANNING, NAVIGATIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. RAPID PRODUCTION AND WIDE DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE LATEST COMPUTER TECHNIQUES.

THE CONSTANT IMPROVEMENT IN THE QUALITY OF SURFACE CURRENT DATA RECEIVED OVER THE YEARS IS MADE POSSIBLE LARGELY BY THE MORE THOROUGH REPORTS OF VOLUNTARY OBSERVERS IN RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE OCEANOGRAPHIC OFFICE, AND THE USER OF THE ATLASES RELY ON THE PERSONAL OBSERVATIONS OF THE MAN WHO HAS "BEEN THERE." MARINERS, IN REPORTING THEIR OBSERVATIONS, RENDER A SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO ALL "WHO GO DOWN TO THE SEA IN SHIPS." WITH THE ADVENT OF NUCLEAR POWER, ELECTRONIC NAVIGATION AIDS, AND 300,000-TON SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED ENVIRONMENTAL AND NAVIGATIONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.

  
JOHN R. McDONNELL  
Captain, U.S. Navy  
Commander

Acce
NTIS
DTIC
Unan
Jus
By
Dist
Ave
Dist
A


## SURFACE CURRENT ATLASES

THIS SERIES OF COMPUTERIZED ATLASES REPLACES THE OLD HYDROGRAPHIC OFFICE ATLASES OF SURFACE CURRENTS (HOP 566, 568, 569, 570) WHICH WERE MANUALLY COMPILED FROM DATA OBTAINED DURING THE PERIOD 1903 - 1934. THESE NEW ATLASES CONFORM TO THE STANDARD NAVY OCEAN AREA AND REGION INDEX LIMITS SHOWN BELOW: e.g., N00 SP 1402-NP 10 COVERS NORTH PACIFIC REGION 10 EAST OF THE PHILIPPINES.

AS AMOUNTS OF NEW DATA

THESE GRAPHICS MAY AREAS AS THE NORTH SEA. P CURRENTS ARE STRONGLY TID PREDICTABLE HOURLY CHANGE

RECENT IMPROVEMENTS IN THE DATA FILE ASSURE THE INCLUSION OF THE LATEST, HIGH QUALITY SURFACE CURRENT DATA AVAILABLE. THE FILE NOW CONTAINS MORE THAN 4,200,000 OBSERVATIONS AND A GENERAL UPDATE OF THE FILE WILL BE MADE



## SURFACE CURRENT ATLASES


OLD HYDROGRAPHIC OFFICE  
 WHICH WERE MANUALLY  
 134. THESE NEW ATLASES  
 OF LIMITS SHOWN BELOW:  
 EAST OF THE PHILIPPINES.

AS AMOUNTS OF NEW DATA WARRANT, MOST LIKELY EVERY 12 - 18 MONTHS.

THESE GRAPHICS MAY NOT BE TRULY REPRESENTATIVE OF THE ACTUAL FLOW IN SUCH  
 AREAS AS THE NORTH SEA, PERSIAN GULF, GULF OF THAILAND, AND YELLOW SEA WHERE  
 CURRENTS ARE STRONGLY TIDAL. FOR SUCH AREAS, OTHER SOURCES DESCRIBING  
 PREDICTABLE HOURLY CHANGES OF TIDAL CURRENTS SHOULD BE CONSULTED.

EDITION OF THE LATEST,  
 NOW CONTAINS MORE  
 FILE WILL BE MADE

### INDEX



## Introduction

The Surface Current Data File, from which these atlases are derived, consists primarily of over four million ship set and drift observations. These data were collected by the Netherlands, Japan, Britain, France, and the United States. The file is supplemented by several thousand Geomagnetic Electrokinetograph (GEM) observations, mostly Japanese. The file spans the period from the early 1950's to the present. The earliest observations were collected by the Netherlands and Great Britain, those of the 1960's through the present are primarily United States data.


## General Quality

The quality of this data file is considered high for this type of derived value. The data have been carefully screened for duplication; observations taken under adverse conditions (i.e. high winds and waves, time between observations greater than 12 hours) have been eliminated when warranted. Consideration was given to the reliability of the observer; doubtful shipboard computations of set and drift were edited; and observations with erroneous locations (mostly observations on land) have been eliminated. The accepted data are considered most useful when used collectively as in summaries where a number of observations show trends.

## General Observation Technique

The set (direction) and drift (speed) are computed by the navigator from the difference between the dead reckoning (DR) position and the position determined by any type of navigational fix. The drift can be determined along any straight line track and includes all factors which cause changes in the DR position. When a fix is obtained, the current set (direction) is FROM the DR position TO the fix; the drift (speed) is equal to the distance in nautical miles between the DR and the fix, divided by the number of hours since the last fix. For successive observations, the TO POSITION of one observation becomes the FROM POSITION of the next observation.


Because the influence of current may vary along a ship's track, the MEAN POSITION of the track is assigned as the geographic location of the current observation. An example of a current computation is shown in the figure below.




EXAMPLE OF A SURFACE CURRENT (SHIP'S DRIFT) OBSERVATION

## Data Presentation


The following legend shows two types of surface current presentations by 1° quadrangle, type 1 with 12 or more observations and type 2 with fewer than 12 observations. Where there are 11 or fewer observations within a 1° quadrangle, the total number of observations is shown within the 90° quadrant containing the observations.



If there are 11 or more  
by vector resultant A-



- (1) Persistent Current - 50 percent or more of all observations fall within a 45° sector of the 8-point compass.






- (4) Bizonal Flow - Practically all observations are concentrated in opposite pairs of sectors, and one pair contains at least 80 percent as many observations as the other pair. This generally indicates that occurs in zones of entrained opposing currents (see examples: quadrangles 1, 2, and 3).





If there are 12 or more observations in a 1° quadrangle, the surface current is depicted by vector resultants as follows:





(1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.

(2) Prevailing Current - 70 percent or more of all observations fall within two adjacent 45° sectors.


(3) Primary Current with Secondary Direction - (a) Primary Current - 50 percent or more of all observations fall within three adjacent 45° sectors.

(b) Secondary Direction - 20 percent or more of all observations fall within a 45° sector, and the two resultant vector directions are separated by more than 90° of arc.



(4) Bifocal Flow - Practically all observations are concentrated in opposite pairs of 45° sectors, and one pair contains at least 80 percent as many observations as the opposite pair. This generally indicates variability that occurs in zones of entrainment between opposing currents (see examples A and B, quadrangles 1, 2, and 3).

(5) Variable Current - The 45° sector with most observations has less than 25 percent of all observations; direction is indeterminate.



1

2

exists primarily  
were collected by the  
is supplemented  
ma, mostly Japanese.  
e earliest observa-  
the 1960's through

derived value. The  
on under adverse  
water than 12 hours)  
reliability  
ere edited; and ob-  
ave been eliminated.  
as in summaries


from the difference  
by any type of  
ne track and includes  
trained, the current  
is equal to the  
number of hours  
one observation

MEAN POSITION of  
rvation. An example


12 KM  
FEED,  
IN  
OBS  
2°12  
2°20 N  
2°20


by 1° quadrangle.  
rvations. Where  
number of observa-

TOTAL OBSERVATIONS.  
USED FOR 1000 OR  
OBSERVATIONS.  
FOR ALL OBSERVATIONS.  
ARY DIRECTION, 212  
DIRECTION, 0.5 KNOT  
DRAFT



WINTER-JUL, AUG, SEP





SPRING-OCT, NOV, DEC

115 W 110 W 105 W 100 W 95 W 90 W

29 S


30 S

35 S

40 S

45 S


49 S




115 W 110 W 105 W 100 W 95 W 90 W

SPRING-OCT, NOV, DEC


2 1




SUMMER-JAN, FEB, MAR



SUMMER-JAN, FEB, MAR







AUTUMN-APR, MAY, JUN

1 1

29 S	130 W	125 W	120 W	115 W	110 W	105 W
30 S						
35 S						
40 S						
45 S						
49 S	130 W	125 W	120 W	115 W	110 W	105 W

ANNUAL-JAN THROUGH DEC

[illegible]

352

40 S

452

49 S

**ANNUAL-JAN THROUGH DEC**

105 W

# DISTRIBUTION LIST

## NAVY

CINCPACFLT (02M)  
 COMTHIRDFLT  
 COMSEVENTHFLT  
 COMSUBPAC  
 COMNAVAIRPAC  
 COMPATWINGSPAC  
 PATWINGSPAC DET ADAK  
 PATWING 1  
 COMNAVSURFPAC  
 DIRNAVOCEANMET  
 FLENUMEACEN  
 FLEWEACEN GUAM  
 FLEWEACEN PEARL  
 NAVWEASERVFAC SAN DIEGO  
 NAVWEASERVFAC YOKOSUKA  
 NWSA ASHEVILLE  
 NWSA ADAK  
 NWSA AGANA  
 NWSA ATSUGI  
 NWSA KADENA  
 NWSA MISAWA

## OTHER GOVT.

NOAA/NODC  
 NOAA/NCC

## PRIVATE & UNIVERSITIES

FLORIDA ST. UNIV.  
 LOUISIANA ST. UNIV.  
 MASS. INST. OF TECH  
 ORE. ST. UNIV.  
 TEXAS A&M UNIV.  
 UNIV. OF MIAMI  
 UNIV. OF R.I.  
 UNIV. OF WASH.  
 SCRIPPS INST OF OCEANOGRAPHY  
 WOODS HOLE OCEANOGRAPHIC INST.

## FOREIGN

HYDROGRAPHER/R.A.N.  
 DEPT. TRANSPORTATION/AUSTRALIA

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER	12. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
NOC SP:4G3-SP6	AD-A094015		
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED		
SURFACE CURRENTS SOUTHEAST CENTRAL SOUTH PACIFIC OCEAN	Final		
7. AUTHOR(s)	6. PERFORMING ORG. REPORT NUMBER		
Naval Oceanographic Office NSTL Station, MS 39522			
9. PERFORMING ORGANIZATION NAME AND ADDRESS	8. CONTRACT OR GRANT NUMBER(s)		
Naval Oceanographic Office			
11. CONTROLLING OFFICE NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
	12. REPORT DATE		
	November 1977		
	13. NUMBER OF PAGES		
	14		
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report)		
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report)			
Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)			
Surface Currents Southeast Central South Pacific Ocean			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)			
<p>This atlas, and the series of which it is a part, is computer generated and automatically plotted. It makes available to the user the most recent surface current data collected and will be updated whenever sufficient amounts of data are added to the data file. This and the other atlases are based on a vast quantity of data as compared to the previous manually-compiled editions printed in the mid-thirties.</p>			

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)
20. Cont.
<p>The surface current information is based mainly on ship tri is the difference between the dead reckoning position and the po determined by any type of navigational fix. This difference let the direction and speed of the current.</p>

PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER		
AD-AC94615			
4. TYPE OF REPORT & PERIOD COVERED	5. PERFORMING ORG. REPORT NUMBER		
OCEAN	Final		
6. CONTRACT OR GRANT NUMBER(s)	7. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
8. REPORT DATE	9. NUMBER OF PAGES		
November 1977	14		
10. SECURITY CLASS. (of this report)	11. DECLASSIFICATION/DOWNGRADING SCHEDULE		
Distribution unlimited.			
Block 20, (if different from R-report)			
Identify by block number)			
can			
Identify by block number)			
which it is a part, is computer generated is available to the user the most recent will be updated whenever sufficient data file. This and the other atlases are compared to the previous manually- d-thirties.			

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

29. Cont.

The surface current information is based mainly on ship drift, which is the difference between the dead reckoning position and the position determined by any type of navigational fix. This difference describes the direction and speed of the current.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

1 2